

**This chart provides common starting doses of Percorten®-V & Zycortal by weight in pounds & kilograms. Only the first dose is determined by weight. Subsequent doses are determined by monitoring the serum electrolytes.**

**We are not veterinarians. Please consult with your veterinarian on the most appropriate starting dose for your dog.**

Formula:	Multiply lbs * 0.018	Multiply lbs * 0.03	Multiply lbs * 0.04	Formula:	Multiply kg * 0.04	Multiply kg * 0.066	Multiply kg * 0.088
Dose is in millileters (ml)				Dose is in millileters (ml)			
Weight (lb)	0.45mg/lb	0.75mg/lb	1mg/lb	Weight (kg)	1mg/kg	1.65mg/kg	2.2mg/kg
5	0.09	0.15	0.20	2.00	0.08	0.13	0.18
6	0.11	0.18	0.24	2.50	0.10	0.17	0.22
7	0.13	0.21	0.28	3.00	0.12	0.20	0.26
8	0.14	0.24	0.32	3.50	0.14	0.23	0.31
9	0.16	0.27	0.36	4.00	0.16	0.26	0.35
10	0.18	0.30	0.40	4.50	0.18	0.30	0.40
11	0.20	0.33	0.44	5.00	0.20	0.33	0.44
12	0.22	0.36	0.48	5.50	0.22	0.36	0.48
13	0.23	0.39	0.52	6.00	0.24	0.40	0.53
14	0.25	0.42	0.56	6.50	0.26	0.43	0.57
15	0.27	0.45	0.60	7.00	0.28	0.46	0.62
16	0.29	0.48	0.64	7.50	0.30	0.50	0.66
17	0.31	0.51	0.68	8.00	0.32	0.53	0.70
18	0.32	0.54	0.72	8.50	0.34	0.56	0.75
19	0.34	0.57	0.76	9.00	0.36	0.59	0.79
20	0.36	0.60	0.80	9.50	0.38	0.63	0.84
21	0.38	0.63	0.84	10.00	0.40	0.66	0.88
22	0.40	0.66	0.88	10.50	0.42	0.69	0.92
23	0.41	0.69	0.92	11.00	0.44	0.73	0.97
24	0.43	0.72	0.96	11.50	0.46	0.76	1.01
25	0.45	0.75	1.00	12.00	0.48	0.79	1.06
26	0.47	0.78	1.04	12.50	0.50	0.83	1.10
27	0.49	0.81	1.08	13.00	0.52	0.86	1.14
28	0.50	0.84	1.12	13.50	0.54	0.89	1.19
29	0.52	0.87	1.16	14.00	0.56	0.92	1.23
30	0.54	0.90	1.20	14.50	0.58	0.96	1.28
31	0.56	0.93	1.24	15.00	0.60	0.99	1.32
32	0.58	0.96	1.28	15.50	0.62	1.02	1.36
33	0.59	0.99	1.32	16.00	0.64	1.06	1.41
34	0.61	1.02	1.36	16.50	0.66	1.09	1.45
35	0.63	1.05	1.40	17.00	0.68	1.12	1.50

Dosing in Column 1 comes from: <http://onlinelibrary.wiley.com/doi/10.1111/avj.12019/abstract>

Dosing in Columns 2 + 3 comes from: [http://canineaddisons.org/wp-content/uploads/2016/03/Percorten\\_V\\_Monograph.pdf](http://canineaddisons.org/wp-content/uploads/2016/03/Percorten_V_Monograph.pdf)

**This chart provides common starting doses of Percorten®-V & Zycortal by weight in pounds & kilograms. Only the first dose is determined by weight. Subsequent doses are determined by monitoring the serum electrolytes.**

**We are not veterinarians. Please consult with your veterinarian on the most appropriate starting dose for your dog.**

Formula:	Multiply lbs * 0.018	Multiply lbs * 0.03	Multiply lbs * 0.04	Formula:	Multiply kg * 0.04	Multiply kg * 0.066	Multiply kg * 0.088
Dose is in millileters (ml)				Dose is in millileters (ml)			
Weight (lb)	0.45mg/lb	0.75mg/lb	1mg/lb	Weight (kg)	1mg/kg	1.65mg/kg	2.2mg/kg
36	0.65	1.08	1.44	17.50	0.70	1.16	1.54
37	0.67	1.11	1.48	18.00	0.72	1.19	1.58
38	0.68	1.14	1.52	18.50	0.74	1.22	1.63
39	0.70	1.17	1.56	19.00	0.76	1.25	1.67
40	0.72	1.20	1.60	19.50	0.78	1.29	1.72
41	0.74	1.23	1.64	20.00	0.80	1.32	1.76
42	0.76	1.26	1.68	20.50	0.82	1.35	1.80
43	0.77	1.29	1.72	21.00	0.84	1.39	1.85
44	0.79	1.32	1.76	21.50	0.86	1.42	1.89
45	0.81	1.35	1.80	22.00	0.88	1.45	1.94
46	0.83	1.38	1.84	22.50	0.90	1.49	1.98
47	0.85	1.41	1.88	23.00	0.92	1.52	2.02
48	0.86	1.44	1.92	23.50	0.94	1.55	2.07
49	0.88	1.47	1.96	24.00	0.96	1.58	2.11
50	0.90	1.50	2.00	24.50	0.98	1.62	2.16
51	0.92	1.53	2.04	25.00	1.00	1.65	2.20
52	0.94	1.56	2.08	25.50	1.02	1.68	2.24
53	0.95	1.59	2.12	26.00	1.04	1.72	2.29
54	0.97	1.62	2.16	26.50	1.06	1.75	2.33
55	0.99	1.65	2.20	27.00	1.08	1.78	2.38
56	1.01	1.68	2.24	27.50	1.10	1.82	2.42
57	1.03	1.71	2.28	28.00	1.12	1.85	2.46
58	1.04	1.74	2.32	28.50	1.14	1.88	2.51
59	1.06	1.77	2.36	29.00	1.16	1.91	2.55
60	1.08	1.80	2.40	29.50	1.18	1.95	2.60
61	1.10	1.83	2.44	30.00	1.20	1.98	2.64
62	1.12	1.86	2.48	30.50	1.22	2.01	2.68
63	1.13	1.89	2.52	31.00	1.24	2.05	2.73
64	1.15	1.92	2.56	31.50	1.26	2.08	2.77
65	1.17	1.95	2.60	32.00	1.28	2.11	2.82
66	1.19	1.98	2.64	32.50	1.30	2.15	2.86

Dosing in Column 1 comes from: <http://onlinelibrary.wiley.com/doi/10.1111/avj.12019/abstract>

Dosing in Columns 2 + 3 comes from: [http://canineaddisons.org/wp-content/uploads/2016/03/Percorten\\_V\\_Monograph.pdf](http://canineaddisons.org/wp-content/uploads/2016/03/Percorten_V_Monograph.pdf)

This chart provides common starting doses of Percorten®-V & Zycortal by weight in pounds & kilograms. Only the first dose is determined by weight. Subsequent doses are determined by monitoring the serum electrolytes.

**We are not veterinarians. Please consult with your veterinarian on the most appropriate starting dose for your dog.**

Formula:	Multiply lbs * 0.018	Multiply lbs * 0.03	Multiply lbs * 0.04	Formula:	Multiply kg * 0.04	Multiply kg * 0.066	Multiply kg * 0.088
Dose is in millileters (ml)				Dose is in millileters (ml)			
Weight (lb)	0.45mg/lb	0.75mg/lb	1mg/lb	Weight (kg)	1mg/kg	1.65mg/kg	2.2mg/kg
67	1.21	2.01	2.68	33.00	1.32	2.18	2.90
68	1.22	2.04	2.72	33.50	1.34	2.21	2.95
69	1.24	2.07	2.76	34.00	1.36	2.24	2.99
70	1.26	2.10	2.80	34.50	1.38	2.28	3.04
71	1.28	2.13	2.84	35.00	1.40	2.31	3.08
72	1.30	2.16	2.88	35.50	1.42	2.34	3.12
73	1.31	2.19	2.92	36.00	1.44	2.38	3.17
74	1.33	2.22	2.96	36.50	1.46	2.41	3.21
75	1.35	2.25	3.00	37.00	1.48	2.44	3.26
76	1.37	2.28	3.04	37.50	1.50	2.48	3.30
77	1.39	2.31	3.08	38.00	1.52	2.51	3.34
78	1.40	2.34	3.12	38.50	1.54	2.54	3.39
79	1.42	2.37	3.16	39.00	1.56	2.57	3.43
80	1.44	2.40	3.20	39.50	1.58	2.61	3.48
81	1.46	2.43	3.24	40.00	1.60	2.64	3.52
82	1.48	2.46	3.28	40.50	1.62	2.67	3.56
83	1.49	2.49	3.32	41.00	1.64	2.71	3.61
84	1.51	2.52	3.36	41.50	1.66	2.74	3.65
85	1.53	2.55	3.40	42.00	1.68	2.77	3.70
86	1.55	2.58	3.44	42.50	1.70	2.81	3.74
87	1.57	2.61	3.48	43.00	1.72	2.84	3.78
88	1.58	2.64	3.52	43.50	1.74	2.87	3.83
89	1.60	2.67	3.56	44.00	1.76	2.90	3.87
90	1.62	2.70	3.60	44.50	1.78	2.94	3.92
91	1.64	2.73	3.64	45.00	1.80	2.97	3.96
92	1.66	2.76	3.68	45.50	1.82	3.00	4.00
93	1.67	2.79	3.72	46.00	1.84	3.04	4.05
94	1.69	2.82	3.76	46.50	1.86	3.07	4.09
95	1.71	2.85	3.80	47.00	1.88	3.10	4.14
96	1.73	2.88	3.84	47.50	1.90	3.14	4.18
97	1.75	2.91	3.88	48.00	1.92	3.17	4.22

Dosing in Column 1 comes from: <http://onlinelibrary.wiley.com/doi/10.1111/avj.12019/abstract>

Dosing in Columns 2 + 3 comes from: [http://canineaddisons.org/wp-content/uploads/2016/03/Percorten\\_V\\_Monograph.pdf](http://canineaddisons.org/wp-content/uploads/2016/03/Percorten_V_Monograph.pdf)

**This chart provides common starting doses of Percorten®-V & Zycortal by weight in pounds & kilograms. Only the first dose is determined by weight. Subsequent doses are determined by monitoring the serum electrolytes.**

**We are not veterinarians. Please consult with your veterinarian on the most appropriate starting dose for your dog.**

Formula:	Multiply lbs * 0.018	Multiply lbs * 0.03	Multiply lbs * 0.04	Formula:	Multiply kg * 0.04	Multiply kg * 0.066	Multiply kg * 0.088
Dose is in millileters (ml)				Dose is in millileters (ml)			
Weight (lb)	0.45mg/lb	0.75mg/lb	1mg/lb	Weight (kg)	1mg/kg	1.65mg/kg	2.2mg/kg
98	1.76	2.94	3.92	48.50	1.94	3.20	4.27
99	1.78	2.97	3.96	49.00	1.96	3.23	4.31
100	1.80	3.00	4.00	49.50	1.98	3.27	4.36
101	1.82	3.03	4.04	50.00	2.00	3.30	4.40
102	1.84	3.06	4.08	50.50	2.02	3.33	4.44
103	1.85	3.09	4.12	51.00	2.04	3.37	4.49
104	1.87	3.12	4.16	51.50	2.06	3.40	4.53
105	1.89	3.15	4.20	52.00	2.08	3.43	4.58
106	1.91	3.18	4.24	52.50	2.10	3.47	4.62
107	1.93	3.21	4.28	53.00	2.12	3.50	4.66
108	1.94	3.24	4.32	53.50	2.14	3.53	4.71
109	1.96	3.27	4.36	54.00	2.16	3.56	4.75
110	1.98	3.30	4.40	54.50	2.18	3.60	4.80
111	2.00	3.33	4.44	55.00	2.20	3.63	4.84
112	2.02	3.36	4.48	55.50	2.22	3.66	4.88
113	2.03	3.39	4.52	56.00	2.24	3.70	4.93
114	2.05	3.42	4.56	56.50	2.26	3.73	4.97
115	2.07	3.45	4.60	57.00	2.28	3.76	5.02
116	2.09	3.48	4.64	57.50	2.30	3.80	5.06
117	2.11	3.51	4.68	58.00	2.32	3.83	5.10
118	2.12	3.54	4.72	58.50	2.34	3.86	5.15
119	2.14	3.57	4.76	59.00	2.36	3.89	5.19
120	2.16	3.60	4.80	59.50	2.38	3.93	5.24
121	2.18	3.63	4.84	60.00	2.40	3.96	5.28
122	2.20	3.66	4.88	60.50	2.42	3.99	5.32
123	2.21	3.69	4.92	61.00	2.44	4.03	5.37
124	2.23	3.72	4.96	61.50	2.46	4.06	5.41
125	2.25	3.75	5.00	62.00	2.48	4.09	5.46
126	2.27	3.78	5.04	62.50	2.50	4.13	5.50
127	2.29	3.81	5.08	63.00	2.52	4.16	5.54
128	2.30	3.84	5.12	63.50	2.54	4.19	5.59

Dosing in Column 1 comes from: <http://onlinelibrary.wiley.com/doi/10.1111/avj.12019/abstract>

Dosing in Columns 2 + 3 comes from: [http://canineaddisons.org/wp-content/uploads/2016/03/Percorten\\_V\\_Monograph.pdf](http://canineaddisons.org/wp-content/uploads/2016/03/Percorten_V_Monograph.pdf)

This chart provides common starting doses of Percorten®-V & Zycortal by weight in pounds & kilograms. Only the first dose is determined by weight. Subsequent doses are determined by monitoring the serum electrolytes.

**We are not veterinarians. Please consult with your veterinarian on the most appropriate starting dose for your dog.**

Formula:	Multiply lbs * 0.018	Multiply lbs * 0.03	Multiply lbs * 0.04	Formula:	Multiply kg * 0.04	Multiply kg * 0.066	Multiply kg * 0.088
Dose is in millileters (ml)				Dose is in millileters (ml)			
Weight (lb)	0.45mg/lb	0.75mg/lb	1mg/lb	Weight (kg)	1mg/kg	1.65mg/kg	2.2mg/kg
129	2.32	3.87	5.16	64.00	2.56	4.22	5.63
130	2.34	3.90	5.20	64.50	2.58	4.26	5.68
131	2.36	3.93	5.24	65.00	2.60	4.29	5.72
132	2.38	3.96	5.28	65.50	2.62	4.32	5.76
133	2.39	3.99	5.32	66.00	2.64	4.36	5.81
134	2.41	4.02	5.36	66.50	2.66	4.39	5.85
135	2.43	4.05	5.40	67.00	2.68	4.42	5.90
136	2.45	4.08	5.44	67.50	2.70	4.46	5.94
137	2.47	4.11	5.48	68.00	2.72	4.49	5.98
138	2.48	4.14	5.52	68.50	2.74	4.52	6.03
139	2.50	4.17	5.56	69.00	2.76	4.55	6.07
140	2.52	4.20	5.60	69.50	2.78	4.59	6.12
141	2.54	4.23	5.64	70.00	2.80	4.62	6.16
142	2.56	4.26	5.68	70.50	2.82	4.65	6.20
143	2.57	4.29	5.72	71.00	2.84	4.69	6.25
144	2.59	4.32	5.76	71.50	2.86	4.72	6.29
145	2.61	4.35	5.80	72.00	2.88	4.75	6.34
146	2.63	4.38	5.84	72.50	2.90	4.79	6.38
147	2.65	4.41	5.88	73.00	2.92	4.82	6.42
148	2.66	4.44	5.92	73.50	2.94	4.85	6.47
149	2.68	4.47	5.96	74.00	2.96	4.88	6.51
150	2.70	4.50	6.00	74.50	2.98	4.92	6.56
151	2.72	4.53	6.04	75.00	3.00	4.95	6.60
152	2.74	4.56	6.08	75.50	3.02	4.98	6.64
153	2.75	4.59	6.12	76.00	3.04	5.02	6.69
154	2.77	4.62	6.16	76.50	3.06	5.05	6.73
155	2.79	4.65	6.20	77.00	3.08	5.08	6.78
156	2.81	4.68	6.24	77.50	3.10	5.12	6.82
157	2.83	4.71	6.28	78.00	3.12	5.15	6.86
158	2.84	4.74	6.32	78.50	3.14	5.18	6.91
159	2.86	4.77	6.36	79.00	3.16	5.21	6.95

Dosing in Column 1 comes from: <http://onlinelibrary.wiley.com/doi/10.1111/avj.12019/abstract>

Dosing in Columns 2 + 3 comes from: [http://canineaddisons.org/wp-content/uploads/2016/03/Percorten\\_V\\_Monograph.pdf](http://canineaddisons.org/wp-content/uploads/2016/03/Percorten_V_Monograph.pdf)

**This chart provides common starting doses of Percorten®-V & Zycortal by weight in pounds & kilograms. Only the first dose is determined by weight. Subsequent doses are determined by monitoring the serum electrolytes.**

**We are not veterinarians. Please consult with your veterinarian on the most appropriate starting dose for your dog.**

Formula:	Multiply lbs * 0.018	Multiply lbs * 0.03	Multiply lbs * 0.04	Formula:	Multiply kg * 0.04	Multiply kg * 0.066	Multiply kg * 0.088
Dose is in millileters (ml)				Dose is in millileters (ml)			
Weight (lb)	0.45mg/lb	0.75mg/lb	1mg/lb	Weight (kg)	1mg/kg	1.65mg/kg	2.2mg/kg
160	2.88	4.80	6.40	79.50	3.18	5.25	7.00
161	2.90	4.83	6.44	80.00	3.20	5.28	7.04
162	2.92	4.86	6.48	80.50	3.22	5.31	7.08
163	2.93	4.89	6.52	81.00	3.24	5.35	7.13
164	2.95	4.92	6.56	81.50	3.26	5.38	7.17
165	2.97	4.95	6.60	82.00	3.28	5.41	7.22
166	2.99	4.98	6.64	82.50	3.30	5.45	7.26
167	3.01	5.01	6.68	83.00	3.32	5.48	7.30
168	3.02	5.04	6.72	83.50	3.34	5.51	7.35
169	3.04	5.07	6.76	84.00	3.36	5.54	7.39
170	3.06	5.10	6.80	84.50	3.38	5.58	7.44
171	3.08	5.13	6.84	85.00	3.40	5.61	7.48
172	3.10	5.16	6.88	85.50	3.42	5.64	7.52
173	3.11	5.19	6.92	86.00	3.44	5.68	7.57
174	3.13	5.22	6.96	86.50	3.46	5.71	7.61
175	3.15	5.25	7.00	87.00	3.48	5.74	7.66
176	3.17	5.28	7.04	87.50	3.50	5.78	7.70
177	3.19	5.31	7.08	88.00	3.52	5.81	7.74
178	3.20	5.34	7.12	88.50	3.54	5.84	7.79
179	3.22	5.37	7.16	89.00	3.56	5.87	7.83
180	3.24	5.40	7.20	89.50	3.58	5.91	7.88
181	3.26	5.43	7.24	90.00	3.60	5.94	7.92
182	3.28	5.46	7.28	90.50	3.62	5.97	7.96
183	3.29	5.49	7.32	91.00	3.64	6.01	8.01
184	3.31	5.52	7.36	91.50	3.66	6.04	8.05
185	3.33	5.55	7.40	92.00	3.68	6.07	8.10
186	3.35	5.58	7.44	92.50	3.70	6.11	8.14
187	3.37	5.61	7.48	93.00	3.72	6.14	8.18
188	3.38	5.64	7.52	93.50	3.74	6.17	8.23
189	3.40	5.67	7.56	94.00	3.76	6.20	8.27
190	3.42	5.70	7.60	94.50	3.78	6.24	8.32

Dosing in Column 1 comes from: <http://onlinelibrary.wiley.com/doi/10.1111/avj.12019/abstract>

Dosing in Columns 2 + 3 comes from: [http://canineaddisons.org/wp-content/uploads/2016/03/Percorten\\_V\\_Monograph.pdf](http://canineaddisons.org/wp-content/uploads/2016/03/Percorten_V_Monograph.pdf)

This chart provides common starting doses of Percorten®-V & Zycortal by weight in pounds & kilograms. Only the first dose is determined by weight. Subsequent doses are determined by monitoring the serum electrolytes.

**We are not veterinarians. Please consult with your veterinarian on the most appropriate starting dose for your dog.**

Formula:	Multiply lbs * 0.018	Multiply lbs * 0.03	Multiply lbs * 0.04	Formula:	Multiply kg * 0.04	Multiply kg * 0.066	Multiply kg * 0.088
Dose is in millileters (ml)				Dose is in millileters (ml)			
Weight (lb)	0.45mg/lb	0.75mg/lb	1mg/lb	Weight (kg)	1mg/kg	1.65mg/kg	2.2mg/kg
191	3.44	5.73	7.64	95.00	3.80	6.27	8.36
192	3.46	5.76	7.68	95.50	3.82	6.30	8.40
193	3.47	5.79	7.72	96.00	3.84	6.34	8.45
194	3.49	5.82	7.76	96.50	3.86	6.37	8.49
195	3.51	5.85	7.80	97.00	3.88	6.40	8.54
196	3.53	5.88	7.84	97.50	3.90	6.44	8.58
197	3.55	5.91	7.88	98.00	3.92	6.47	8.62
198	3.56	5.94	7.92	98.50	3.94	6.50	8.67
199	3.58	5.97	7.96	99.00	3.96	6.53	8.71
200	3.60	6.00	8.00	99.50	3.98	6.57	8.76

Dosing in Column 1 comes from: <http://onlinelibrary.wiley.com/doi/10.1111/avj.12019/abstract>

Dosing in Columns 2 + 3 comes from: [http://canineaddisons.org/wp-content/uploads/2016/03/Percorten\\_V\\_Monograph.pdf](http://canineaddisons.org/wp-content/uploads/2016/03/Percorten_V_Monograph.pdf)